

14<sup>th</sup> October, 2015

## Jumbuck Continues to Deliver Gold Results

- **Multiple High Grade Gold Intersections from latest Drill Results at Golf Bore Prospect.**
- **Continuous, Shallow Supergene Zone now 5-15m thick over 800m strike length with an average horizontal width of 120m.**
- **Deeper Holes Indicate the Presence of a Series of Primary Gold Feeder Zones.**
- **Gold Distribution Demonstrates “Nuggety” nature indicating potential low cost processing options.**
- **Selected Significant Gold Intercepts Include:**
  - **1m @ 13.70 g/t** from 59m
  - **3m @ 5.77 g/t** from 38m
  - **4m @ 4.21 g/t** from 57m
  - **4m @ 3.76 g/t** from 56m
  - **1m @ 9.16 g/t** from 59m
  - **2m @ 6.00 g/t** from 26m
  - **3m @ 3.19 g/t** from 65m

The directors of Tyranna Resources Ltd. (ASX:TYX) are pleased to announce details of the fourth batch of gold assay results (23 Holes) from the Company’s recent reverse circulation drilling program at the Golf Bore Prospect – part of the major Jumbuck Gold Project in the North Western Gawler Craton, South Australia (Figure 1). The Jumbuck Gold Project comprises over 8,000 Km<sup>2</sup> of contiguous tenements surrounding the 1 Million ounce Challenger gold mine. The Golf Bore Prospect is one of seven advanced prospects at Jumbuck, all of which are located within 50kms from the Challenger minesite.

Tyranna initiated the Golf Bore drilling program with the ambition to delineate a low cost, mineable, near surface, gold orebody. It is pleasing to report that drilling to date at Golf Bore has proven an extensive mineable supergene zone that is shaping up to be very attractive with good gold grades and wide zones of gold mineralisation. The continuous shallow supergene zone has an average thickness of 5m-15m over 800m with an average width of 120m.

As a result of the success of this drilling program Tyranna has already started to scope the economic viability of a mining proposition at Golf Bore, with wire-framing and first stage metallurgical testing underway.



**ASX CODE: TYX**

### DIRECTORS

**Ian Finch**

*Executive Chairman*

**Neil McKay**

*Company Secretary and  
Non-Executive Director*

**Bruno Seneque**

*Non-Executive Director*

### SHARE REGISTRY

**Advanced Share Registry  
Limited**

*110 Stirling Highway  
Nedlands WA 6009  
T: +61 8 9389 8033  
F: +61 8 9389 7871*

### REGISTERED OFFICE

*Level 2 679 Murray Street  
West Perth WA 6005  
P: +61 8 9485 1040  
F: +61 8 9485 1050*

A summary of the results for all holes with significant intercepts received to date are provided in Appendix 1. An analysis of these holes show them to have an average true width and grade of **12.0m @ 2.5g/t Gold**. Within this broader mineralisation there are higher grade zones with an average true width and grade of **3.0 m @ 7.4 g/t Gold**.

Hole ID	Northing	Easting	Total Depth (m)	Dip	Depth From (m)	Depth To (m)	Intercept Width (m)	Au g/t
15GBRC020	6726685	404783	58	90	27	28	1	3.18
15GBRC052	6726822	405086	48	90	31	32	1	3.74
15GBRC053	6726837	405072	60	90	45	60	15	1.75
<b>Including</b>					<b>56</b>	<b>60</b>	<b>4</b>	<b>3.76</b>
<b>Including</b>					<b>59</b>	<b>60</b>	<b>1</b>	<b>9.16</b>
15GBRC060	6726906	405144	48	90	16	18	2	3.95
15GBRC065	6726973	405164	60	90	26	33	7	2.24
<b>Including</b>					<b>26</b>	<b>28</b>	<b>2</b>	<b>6.00</b>
<b>Including</b>					<b>38</b>	<b>41</b>	<b>3</b>	<b>5.78</b>
15GBRC070	6727009	405183	78	90	57	61	4	4.22
<b>Including</b>					<b>59</b>	<b>60</b>	<b>1</b>	<b>13.70</b>
15GBRC070	6727009	405183	78	90	69	70	1	7.70
15GBRC071	6727015	405188	75	90	65	68	3	3.19
<b>Including</b>					<b>65</b>	<b>66</b>	<b>1</b>	<b>6.90</b>
15GBRC074	6727006	405208	48	90	30	45	15	1.15
<b>Including</b>					<b>42</b>	<b>43</b>	<b>1</b>	<b>6.30</b>

**Table 1: Significant intercepts from recent results (23 Holes) at Golf Bore prospect, Western Gawler Craton, South Australia.**

In addition to the previously reported results for the first thirty two holes (ASX: 9 September 2015, 23 September and 30 September) the results from a total of 74 holes have now been received and an additional 941 samples have been submitted and are awaiting results.

The Golf Bore prospect targeted in this drilling is situated on EL4577 which forms part of a joint venture with Kingsgate Consolidated Limited (TYX 53.4% - KCN 46.6%). Golf Bore is one of a number of high priority prospects currently being explored by Tyranna and, subject to certain conditions of the joint venture with Kingsgate Consolidated Mining (ASX:KCN) all joint venture ore can be treated at the Challenger mill.

Another objective of the Golf Bore drilling program was to explore Challenger “look-a-like” targets. We are pleased to report that drilling to date has indicated likely primary “feeder zones” that represent Challenger “look-a-like” targets to be tested by the next round of drilling. The following holes from this round of drilling indicate higher grade zones towards the end of planned hole depth:

- 15GBRC070 (1m @ **13.7 g/t Gold** from 59m);
- 15GBRC053 (1m @ **9.16 g/t Gold** from 59m); and
- 15GBRC071 (1m @ **6.9 g/t Gold** from 65m)

It is of significance to note that the discovery of the high grade Challenger underground orebody resulted from deeper holes which intersected bonanza gold grades. Tyranna will now plan a drill program to test these potential Challenger “look-a-like” targets.

**- ENDS -**

CONTACT:

**Ian Finch**

**Tyranna Resources Limited**

**P: +61 8 9485 1040**

***Competent person statement:***

*The information in this announcement that relates to Exploration Results is based on information compiled by Ian D. Finch, who is a Member of The Australasian Institute of Mining and Metallurgy and who has more than five years' experience in the field of activity being reported on. Mr. Finch is the Chairman of the company.*

*Mr. Finch has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr. Finch consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.*




Figure 1: Plan map of drill holes at Golf Bore Prospect

### Appendix 1: Complete set of Significant Intersections reported to date for Golf Bore RC drilling 2015

Hole ID	Northing	Easting	Total Depth (m)	Dip	Depth From (m)	Depth To (m)	Intercept Width	Au g/t
15GBRC001	6726632	404704.7	46	-90	23	28	5	0.85
<b>Including</b>					<b>23</b>	<b>24</b>	<b>1</b>	<b>3.31</b>
15GBRC003	6726594	404754.5	46	-90	22	26	4	6.07
<b>Including</b>					<b>22</b>	<b>24</b>	<b>2</b>	<b>10.70</b>
15GBRC004	6726635	404722.2	52	-90	20	23	3	2.77
<b>Including</b>					<b>20</b>	<b>21</b>	<b>1</b>	<b>7.70</b>
15GBRC009	6726625	404784	46	-90	27	38	11	2.45
<b>Including</b>					<b>27</b>	<b>31</b>	<b>4</b>	<b>5.25</b>
15GBRC011	6726626	404795	46	-90	27	34	7	1.24
<b>Including</b>					<b>27</b>	<b>29</b>	<b>2</b>	<b>3.14</b>
15GBRC015	6726651	404788	46	-90	27	31	4	3.62
<b>Including</b>					<b>27</b>	<b>29</b>	<b>2</b>	<b>5.71</b>
15GBRC016	6726666	404774	64	-90	33	46	13	0.70
<b>Including</b>					<b>45</b>	<b>46</b>	<b>1</b>	<b>3.62</b>
15GBRC017	6726683	404761	52	-90	28	42	14	0.90
<b>Including</b>					<b>38</b>	<b>41</b>	<b>3</b>	<b>1.96</b>
15GBRC018	6726655	404809	46	-90	31	46	15	1.39
15GBRC020	6726685	404783	58	90	27	28	1	3.18
<b>Including</b>					<b>31</b>	<b>32</b>	<b>1</b>	<b>11.70</b>
<b>Including</b>					<b>44</b>	<b>45</b>	<b>1</b>	<b>4.94</b>
15GBRC022	6726669	404825	46	-90	35	46	11	1.17
<b>Including</b>					<b>44</b>	<b>45</b>	<b>1</b>	<b>5.90</b>
15GBRC027	6726734	404907	76	-90	34	36	2	4.05
15GBRC030	6726724	404960	46	-90	24	33	9	1.75
<b>Including</b>					<b>24</b>	<b>27</b>	<b>3</b>	<b>4.24</b>
15GBRC031	6726737	404945	54	-90	0	54	54	1.14
<b>Including</b>					<b>35</b>	<b>41</b>	<b>6</b>	<b>4.57</b>
<b>Including</b>					<b>22</b>	<b>24</b>	<b>2</b>	<b>2.80</b>
15GBRC036	6726771	404974	108	90	50	55	6	1.54
15GBRC038	6726774	404986	66	90	27	29	2	3.76
15GBRC042	6726784	404996	66	90	59	64	5	1.30
15GBRC048	6726794	405050	66	90	42	57	15	4.30
<b>Including</b>					<b>47</b>	<b>55</b>	<b>8</b>	<b>6.21</b>
<b>Including</b>					<b>47</b>	<b>48</b>	<b>1</b>	<b>22.40</b>
15GBRC049	6726808	405036	60	90	24	57	33	1.80
<b>Including</b>					<b>24</b>	<b>29</b>	<b>5</b>	<b>9.72</b>
<b>Including</b>					<b>26</b>	<b>27</b>	<b>1</b>	<b>25.20</b>
15GBRC051	6726805	405075	60	90	22	48	26	1.22
<b>Including</b>					<b>22</b>	<b>34</b>	<b>14</b>	<b>1.92</b>
<b>Including</b>					<b>34</b>	<b>36</b>	<b>2</b>	<b>6.65</b>
15GBRC052	6726822	405086	48	90	31	32	1	3.74
15GBRC053	6726837	405072	60	90	45	60	15	1.75
<b>Including</b>					<b>56</b>	<b>60</b>	<b>4</b>	<b>3.76</b>
<b>Including</b>					<b>59</b>	<b>60</b>	<b>1</b>	<b>9.16</b>
15GBRC060	6726906	405144	48	90	16	18	2	3.95
15GBRC065	6726973	405164	60	90	26	33	7	2.24
<b>Including</b>					<b>26</b>	<b>28</b>	<b>2</b>	<b>6.00</b>
<b>Including</b>					<b>38</b>	<b>41</b>	<b>3</b>	<b>5.78</b>
15GBRC070	6727009	405183	78	90	57	61	4	4.22
<b>Including</b>					<b>59</b>	<b>60</b>	<b>1</b>	<b>13.70</b>
15GBRC070	6727009	405183	78	90	69	70	1	7.70
15GBRC071	6727015	405188	75	90	65	68	3	3.19
<b>Including</b>					<b>65</b>	<b>66</b>	<b>1</b>	<b>6.90</b>
15GBRC074	6727006	405208	48	90	30	45	15	1.15
<b>Including</b>					<b>42</b>	<b>43</b>	<b>1</b>	<b>6.30</b>

### Appendix 2: Complete results for Drill holes 15GBRC020 and 15GBRC052 to 15GBRC074

Hole ID	Northing	Easting	Total Depth (m)	Azimuth	Dip	Depth From(m)	Depth To(m)	Length	Au g/t	Hole ID	Northing	Easting	Total Depth (m)	Azimuth	Dip	Depth From(m)	Depth To(m)	Length	Au g/t
15GBRC020	6726685	404783	58	0	-90	20	21	1	0.01	15GBRC053	6726837	405072	60	0	-90	12	16	4	0.005
15GBRC020	6726685	404783	58	0	-90	21	22	1	0.03	15GBRC053	6726837	405072	60	0	-90	16	17	1	0.02
15GBRC020	6726685	404783	58	0	-90	22	23	1	0.01	15GBRC053	6726837	405072	60	0	-90	17	18	1	0.005
15GBRC020	6726685	404783	58	0	-90	23	24	1	0.01	15GBRC053	6726837	405072	60	0	-90	18	19	1	0.01
15GBRC020	6726685	404783	58	0	-90	24	25	1	0.01	15GBRC053	6726837	405072	60	0	-90	19	20	1	0.005
15GBRC020	6726685	404783	58	0	-90	25	26	1	0.05	15GBRC053	6726837	405072	60	0	-90	20	21	1	0.01
15GBRC020	6726685	404783	58	0	-90	26	27	1	0.06	15GBRC053	6726837	405072	60	0	-90	21	22	1	0.01
15GBRC020	6726685	404783	58	0	-90	27	28	1	3.18	15GBRC053	6726837	405072	60	0	-90	22	23	1	0.01
15GBRC020	6726685	404783	58	0	-90	28	29	1	0.18	15GBRC053	6726837	405072	60	0	-90	23	24	1	0.01
15GBRC020	6726685	404783	58	0	-90	29	30	1	0.35	15GBRC053	6726837	405072	60	0	-90	24	25	1	0.01
15GBRC020	6726685	404783	58	0	-90	30	31	1	0.16	15GBRC053	6726837	405072	60	0	-90	25	26	1	0.02
15GBRC020	6726685	404783	58	0	-90	31	32	1	0.14	15GBRC053	6726837	405072	60	0	-90	26	27	1	0.01
15GBRC020	6726685	404783	58	0	-90	32	33	1	0.08	15GBRC053	6726837	405072	60	0	-90	27	28	1	0.01
15GBRC020	6726685	404783	58	0	-90	33	34	1	0.3	15GBRC053	6726837	405072	60	0	-90	28	29	1	0.01
15GBRC020	6726685	404783	58	0	-90	34	35	1	0.72	15GBRC053	6726837	405072	60	0	-90	29	30	1	1.6
15GBRC020	6726685	404783	58	0	-90	35	36	1	0.2	15GBRC053	6726837	405072	60	0	-90	30	31	1	0.17
15GBRC020	6726685	404783	58	0	-90	36	37	1	0.13	15GBRC053	6726837	405072	60	0	-90	31	32	1	0.17
15GBRC020	6726685	404783	58	0	-90	37	38	1	0.09	15GBRC053	6726837	405072	60	0	-90	32	33	1	0.26
15GBRC020	6726685	404783	58	0	-90	38	39	1	0.1	15GBRC053	6726837	405072	60	0	-90	33	34	1	0.13
15GBRC020	6726685	404783	58	0	-90	39	40	1	0.13	15GBRC053	6726837	405072	60	0	-90	34	35	1	
15GBRC020	6726685	404783	58	0	-90	40	41	1	0.1	15GBRC053	6726837	405072	60	0	-90	35	36	1	0.11
15GBRC020	6726685	404783	58	0	-90	41	42	1	0.09	15GBRC053	6726837	405072	60	0	-90	36	37	1	0.13
15GBRC020	6726685	404783	58	0	-90	42	43	1	0.12	15GBRC053	6726837	405072	60	0	-90	37	38	1	0.04
15GBRC020	6726685	404783	58	0	-90	43	44	1	0.07	15GBRC053	6726837	405072	60	0	-90	38	39	1	0.04
15GBRC020	6726685	404783	58	0	-90	44	45	1	0.03	15GBRC053	6726837	405072	60	0	-90	39	40	1	0.12
15GBRC020	6726685	404783	58	0	-90	45	46	1	0.05	15GBRC053	6726837	405072	60	0	-90	40	41	1	0.08
15GBRC020	6726685	404783	58	0	-90	46	47	1	0.28	15GBRC053	6726837	405072	60	0	-90	41	42	1	0.31
15GBRC020	6726685	404783	58	0	-90	47	48	1	0.2	15GBRC053	6726837	405072	60	0	-90	42	43	1	0.11
15GBRC020	6726685	404783	58	0	-90	48	49	1	0.06	15GBRC053	6726837	405072	60	0	-90	43	44	1	0.1
15GBRC020	6726685	404783	58	0	-90	49	50	1	0.04	15GBRC053	6726837	405072	60	0	-90	44	45	1	0.09
15GBRC020	6726685	404783	58	0	-90	50	51	1	0.08	15GBRC053	6726837	405072	60	0	-90	45	46	1	0.64
15GBRC020	6726685	404783	58	0	-90	51	52	1	0.19	15GBRC053	6726837	405072	60	0	-90	46	47	1	0.51
15GBRC020	6726685	404783	58	0	-90	52	53	1	0.05	15GBRC053	6726837	405072	60	0	-90	47	48	1	0.98
15GBRC020	6726685	404783	58	0	-90	53	54	1	0.05	15GBRC053	6726837	405072	60	0	-90	48	49	1	1.44
15GBRC020	6726685	404783	58	0	-90	54	55	1	0.18	15GBRC053	6726837	405072	60	0	-90	49	50	1	1.22
15GBRC020	6726685	404783	58	0	-90	55	56	1	0.54	15GBRC053	6726837	405072	60	0	-90	50	51	1	0.72
15GBRC020	6726685	404783	58	0	-90	56	57	1	1.14	15GBRC053	6726837	405072	60	0	-90	51	52	1	1.08
15GBRC020	6726685	404783	58	0	-90	57	58	1	1.52	15GBRC053	6726837	405072	60	0	-90	52	53	1	2.79
15GBRC052	6726822	405086	48	0	-90	0	4	4	0.07	15GBRC053	6726837	405072	60	0	-90	53	54	1	0.94
15GBRC052	6726822	405086	48	0	-90	4	8	4	0.01	15GBRC053	6726837	405072	60	0	-90	54	55	1	0.5
15GBRC052	6726822	405086	48	0	-90	8	12	4	0.005	15GBRC053	6726837	405072	60	0	-90	55	56	1	0.51
15GBRC052	6726822	405086	48	0	-90	12	16	4	0.01	15GBRC053	6726837	405072	60	0	-90	56	57	1	1.91
15GBRC052	6726822	405086	48	0	-90	16	20	4	0.17	15GBRC053	6726837	405072	60	0	-90	57	58	1	2.3
15GBRC052	6726822	405086	48	0	-90	20	21	1	0.04	15GBRC053	6726837	405072	60	0	-90	58	59	1	1.67
15GBRC052	6726822	405086	48	0	-90	21	22	1	2.5	15GBRC053	6726837	405072	60	0	-90	59	60	1	9.16
15GBRC052	6726822	405086	48	0	-90	22	23	1	1.17	15GBRC054	6726851	405058	54	0	-90	0	4	4	0.04
15GBRC052	6726822	405086	48	0	-90	23	24	1	0.65	15GBRC054	6726851	405058	54	0	-90	4	8	4	0.01
15GBRC052	6726822	405086	48	0	-90	24	25	1	0.33	15GBRC054	6726851	405058	54	0	-90	8	12	4	0.005
15GBRC052	6726822	405086	48	0	-90	25	26	1	0.26	15GBRC054	6726851	405058	54	0	-90	12	16	4	0.005
15GBRC052	6726822	405086	48	0	-90	26	27	1	0.09	15GBRC054	6726851	405058	54	0	-90	16	17	1	0.005
15GBRC052	6726822	405086	48	0	-90	27	28	1	0.12	15GBRC054	6726851	405058	54	0	-90	17	18	1	0.005
15GBRC052	6726822	405086	48	0	-90	28	29	1	0.44	15GBRC054	6726851	405058	54	0	-90	18	19	1	0.005
15GBRC052	6726822	405086	48	0	-90	29	30	1	0.31	15GBRC054	6726851	405058	54	0	-90	19	20	1	0.005
15GBRC052	6726822	405086	48	0	-90	30	31	1	0.26	15GBRC054	6726851	405058	54	0	-90	20	21	1	0.005
15GBRC052	6726822	405086	48	0	-90	31	32	1	3.74	15GBRC054	6726851	405058	54	0	-90	21	22	1	0.005
15GBRC052	6726822	405086	48	0	-90	32	33	1	0.27	15GBRC054	6726851	405058	54	0	-90	22	23	1	0.57
15GBRC052	6726822	405086	48	0	-90	33	34	1	0.45	15GBRC054	6726851	405058	54	0	-90	23	24	1	0.17
15GBRC052	6726822	405086	48	0	-90	34	35	1	0.06	15GBRC054	6726851	405058	54	0	-90	24	25	1	0.03
15GBRC052	6726822	405086	48	0	-90	35	36	1	0.06	15GBRC054	6726851	405058	54	0	-90	25	26	1	0.07
15GBRC052	6726822	405086	48	0	-90	36	37	1	0.1	15GBRC054	6726851	405058	54	0	-90	26	27	1	0.02
15GBRC052	6726822	405086	48	0	-90	37	38	1	0.24	15GBRC054	6726851	405058	54	0	-90	27	28	1	0.03
15GBRC052	6726822	405086	48	0	-90	38	39	1	0.08	15GBRC054	6726851	405058	54	0	-90	28	29	1	0.03
15GBRC052	6726822	405086	48	0	-90	39	40	1	0.03	15GBRC054	6726851	405058	54	0	-90	29	30	1	0.03
15GBRC052	6726822	405086	48	0	-90	40	41	1	0.03	15GBRC054	6726851	405058	54	0	-90	30	31	1	0.005
15GBRC052	6726822	405086	48	0	-90	41	42	1	0.04	15GBRC054	6726851	405058	54	0	-90	31	32	1	0.005
15GBRC052	6726822	405086	48	0	-90	42	43	1	0.15	15GBRC054	6726851	405058	54	0	-90	32	33	1	0.02
15GBRC052	6726822	405086	48	0	-90	43	44	1	0.12	15GBRC054	6726851	405058	54	0	-90	33	34	1	0.005
15GBRC052	6726822	405086	48	0	-90	44	45	1	0.01	15GBRC054	6726851	405058	54	0	-90	34	35	1	0.02
15GBRC052	6726822	405086	48	0	-90	45	46	1	0.03	15GBRC054	6726851	405058	54	0	-90	35	36	1	0.02
15GBRC052	6726822	405086	48	0	-90	46	47	1	0.03	15GBRC054	6726								



# TYRANNA

## RESOURCES

Hole ID	Northing	Easting	Total Depth (m)	Azimuth	Dip	Depth From(m)	Depth To(m)	Length	Au g/t	Hole ID	Northing	Easting	Total Depth (m)	Azimuth	Dip	Depth From(m)	Depth To(m)	Length	Au g/t
15GBRC054	6726851	405058	54	0	-90	41	42	1	0.03	15GBRC056	6726844	405108	54	0	-90	31	32	1	0.22
15GBRC054	6726851	405058	54	0	-90	42	43	1	0.02	15GBRC056	6726844	405108	54	0	-90	32	33	1	0.11
15GBRC054	6726851	405058	54	0	-90	43	44	1	0.01	15GBRC056	6726844	405108	54	0	-90	33	34	1	0.2
15GBRC054	6726851	405058	54	0	-90	44	45	1	0.08	15GBRC056	6726844	405108	54	0	-90	34	35	1	0.26
15GBRC054	6726851	405058	54	0	-90	45	46	1	0.11	15GBRC056	6726844	405108	54	0	-90	35	36	1	0.18
15GBRC054	6726851	405058	54	0	-90	46	47	1	0.03	15GBRC056	6726844	405108	54	0	-90	36	37	1	0.09
15GBRC054	6726851	405058	54	0	-90	47	48	1	0.07	15GBRC056	6726844	405108	54	0	-90	37	38	1	0.08
15GBRC054	6726851	405058	54	0	-90	48	49	1	0.03	15GBRC056	6726844	405108	54	0	-90	38	39	1	0.05
15GBRC054	6726851	405058	54	0	-90	49	50	1	0.02	15GBRC056	6726844	405108	54	0	-90	39	40	1	0.09
15GBRC054	6726851	405058	54	0	-90	50	51	1	0.02	15GBRC056	6726844	405108	54	0	-90	40	41	1	0.27
15GBRC054	6726851	405058	54	0	-90	51	52	1	0.02	15GBRC056	6726844	405108	54	0	-90	41	42	1	0.24
15GBRC054	6726851	405058	54	0	-90	52	53	1	0.04	15GBRC056	6726844	405108	54	0	-90	42	43	1	0.03
15GBRC054	6726851	405058	54	0	-90	53	54	1	0.06	15GBRC056	6726844	405108	54	0	-90	43	44	1	0.005
15GBRC055	6726830	405122	54	0	-90	0	4	4	0.03	15GBRC056	6726844	405108	54	0	-90	44	45	1	0.005
15GBRC055	6726830	405122	54	0	-90	4	8	4	0.01	15GBRC056	6726844	405108	54	0	-90	45	46	1	0.02
15GBRC055	6726830	405122	54	0	-90	8	12	4	0.01	15GBRC056	6726844	405108	54	0	-90	46	47	1	0.02
15GBRC055	6726830	405122	54	0	-90	12	16	4	0.01	15GBRC056	6726844	405108	54	0	-90	47	48	1	0.03
15GBRC055	6726830	405122	54	0	-90	16	17	1	0.005	15GBRC056	6726844	405108	54	0	-90	48	49	1	0.02
15GBRC055	6726830	405122	54	0	-90	17	18	1	0.005	15GBRC056	6726844	405108	54	0	-90	49	50	1	0.005
15GBRC055	6726830	405122	54	0	-90	18	19	1	0.005	15GBRC056	6726844	405108	54	0	-90	50	51	1	0.37
15GBRC055	6726830	405122	54	0	-90	19	20	1	0.005	15GBRC056	6726844	405108	54	0	-90	51	52	1	0.08
15GBRC055	6726830	405122	54	0	-90	20	21	1	0.005	15GBRC056	6726844	405108	54	0	-90	52	53	1	0.23
15GBRC055	6726830	405122	54	0	-90	21	22	1	0.005	15GBRC056	6726844	405108	54	0	-90	53	54	1	0.14
15GBRC055	6726830	405122	54	0	-90	22	23	1	0.06	15GBRC057	6726851	405142	54	0	-90	0	4	4	0.02
15GBRC055	6726830	405122	54	0	-90	23	24	1	0.005	15GBRC057	6726851	405142	54	0	-90	4	8	4	0.01
15GBRC055	6726830	405122	54	0	-90	24	25	1	0.005	15GBRC057	6726851	405142	54	0	-90	8	12	4	0.005
15GBRC055	6726830	405122	54	0	-90	25	26	1	1.95	15GBRC057	6726851	405142	54	0	-90	12	16	4	0.005
15GBRC055	6726830	405122	54	0	-90	26	27	1	0.73	15GBRC057	6726851	405142	54	0	-90	16	20	4	0.005
15GBRC055	6726830	405122	54	0	-90	27	28	1	0.15	15GBRC057	6726851	405142	54	0	-90	20	21	1	0.005
15GBRC055	6726830	405122	54	0	-90	28	29	1	0.05	15GBRC057	6726851	405142	54	0	-90	21	22	1	0.005
15GBRC055	6726830	405122	54	0	-90	29	30	1	0.04	15GBRC057	6726851	405142	54	0	-90	22	23	1	0.005
15GBRC055	6726830	405122	54	0	-90	30	31	1	0.02	15GBRC057	6726851	405142	54	0	-90	23	24	1	0.03
15GBRC055	6726830	405122	54	0	-90	31	32	1	0.02	15GBRC057	6726851	405142	54	0	-90	24	25	1	0.005
15GBRC055	6726830	405122	54	0	-90	32	33	1	0.03	15GBRC057	6726851	405142	54	0	-90	25	26	1	0.005
15GBRC055	6726830	405122	54	0	-90	33	34	1	0.2	15GBRC057	6726851	405142	54	0	-90	26	27	1	0.005
15GBRC055	6726830	405122	54	0	-90	34	35	1	0.04	15GBRC057	6726851	405142	54	0	-90	27	28	1	0.06
15GBRC055	6726830	405122	54	0	-90	35	36	1	0.07	15GBRC057	6726851	405142	54	0	-90	28	29	1	0.17
15GBRC055	6726830	405122	54	0	-90	36	37	1	0.04	15GBRC057	6726851	405142	54	0	-90	29	30	1	0.04
15GBRC055	6726830	405122	54	0	-90	37	38	1	0.04	15GBRC057	6726851	405142	54	0	-90	30	31	1	0.005
15GBRC055	6726830	405122	54	0	-90	38	39	1	0.03	15GBRC057	6726851	405142	54	0	-90	31	32	1	0.005
15GBRC055	6726830	405122	54	0	-90	39	40	1	0.02	15GBRC057	6726851	405142	54	0	-90	32	33	1	0.005
15GBRC055	6726830	405122	54	0	-90	40	41	1	0.02	15GBRC057	6726851	405142	54	0	-90	33	34	1	0.005
15GBRC055	6726830	405122	54	0	-90	41	42	1	0.005	15GBRC057	6726851	405142	54	0	-90	34	35	1	0.005
15GBRC055	6726830	405122	54	0	-90	42	43	1	0.01	15GBRC057	6726851	405142	54	0	-90	35	36	1	0.005
15GBRC055	6726830	405122	54	0	-90	43	44	1	0.005	15GBRC057	6726851	405142	54	0	-90	36	37	1	0.005
15GBRC055	6726830	405122	54	0	-90	44	45	1	0.01	15GBRC057	6726851	405142	54	0	-90	37	38	1	0.005
15GBRC055	6726830	405122	54	0	-90	45	46	1	0.01	15GBRC057	6726851	405142	54	0	-90	38	39	1	0.005
15GBRC055	6726830	405122	54	0	-90	46	47	1	0.005	15GBRC057	6726851	405142	54	0	-90	39	40	1	0.02
15GBRC055	6726830	405122	54	0	-90	47	48	1	0.01	15GBRC057	6726851	405142	54	0	-90	40	41	1	0.07
15GBRC055	6726830	405122	54	0	-90	48	49	1	0.005	15GBRC057	6726851	405142	54	0	-90	41	42	1	0.34
15GBRC055	6726830	405122	54	0	-90	49	50	1	0.01	15GBRC057	6726851	405142	54	0	-90	42	43	1	0.06
15GBRC055	6726830	405122	54	0	-90	50	51	1	0.01	15GBRC057	6726851	405142	54	0	-90	43	44	1	0.08
15GBRC055	6726830	405122	54	0	-90	51	52	1	0.02	15GBRC057	6726851	405142	54	0	-90	44	45	1	0.35
15GBRC055	6726830	405122	54	0	-90	52	53	1	0.06	15GBRC057	6726851	405142	54	0	-90	45	46	1	0.13
15GBRC055	6726830	405122	54	0	-90	53	54	1	0.06	15GBRC057	6726851	405142	54	0	-90	46	47	1	0.03
15GBRC056	6726844	405108	54	0	-90	0	4	4	0.07	15GBRC057	6726851	405142	54	0	-90	47	48	1	0.02
15GBRC056	6726844	405108	54	0	-90	4	8	4	0.03	15GBRC057	6726851	405142	54	0	-90	48	49	1	0.04
15GBRC056	6726844	405108	54	0	-90	8	12	4	0.02	15GBRC057	6726851	405142	54	0	-90	49	50	1	0.04
15GBRC056	6726844	405108	54	0	-90	12	16	4	0.03	15GBRC057	6726851	405142	54	0	-90	50	51	1	0.31
15GBRC056	6726844	405108	54	0	-90	16	17	1	0.01	15GBRC057	6726851	405142	54	0	-90	51	52	1	0.2
15GBRC056	6726844	405108	54	0	-90	17	18	1	0.01	15GBRC057	6726851	405142	54	0	-90	52	53	1	0.07
15GBRC056	6726844	405108	54	0	-90	18	19	1	0.02	15GBRC057	6726851	405142	54	0	-90	53	54	1	0.1
15GBRC056	6726844	405108	54	0	-90	19	20	1	0.005	15GBRC058	6726906	405144	48	0	-90	0	4	4	0.03
15GBRC056	6726844	405108	54	0	-90	20	21	1	0.03	15GBRC058	6726906	405144	48	0	-90	4	8	4	0.005
15GBRC056	6726844	405108	54	0	-90	21	22	1	1.65	15GBRC058	6726906	405144	48	0	-90	8	12	4	0.01
15GBRC056	6726844	405108	54	0	-90	22	23	1	0.62	15GBRC058	6726906	405144	48	0	-90	12	16	4	0.01
15GBRC056	6726844	405108	54	0	-90	23	24	1	0.17	15GBRC058	6726906	405144	48	0	-90	16	17	1	0.005
15GBRC056	6726844	405108	54	0	-90	24	25	1	0.86	15GBRC058	6726906	405144	48	0	-90	17	18	1	0.005
15GBRC056	6726844	405108	54	0	-90	25	26	1	0.89	15GBRC058	6726906	405144	48	0	-90	18	19	1	0.005
15GBRC056	6726844	405108	54	0	-90	26	27	1	1	15GBRC058	6726906	405144	48	0	-90				

# TYRANNA

## RESOURCES

Hole ID	Northing	Easting	Total Depth (m)	Azimuth	Dip	Depth From(m)	Depth To(m)	Length	Au g/t	Hole ID	Northing	Easting	Total Depth (m)	Azimuth	Dip	Depth From(m)	Depth To(m)	Length	Au g/t
15GBRC058	6726906	405144	48	0	-90	24	25	1	0.005	15GBRC060	6726906	405144	48	0	-90	26	27	1	0.17
15GBRC058	6726906	405144	48	0	-90	25	26	1	0.005	15GBRC060	6726906	405144	48	0	-90	27	28	1	0.21
15GBRC058	6726906	405144	48	0	-90	26	27	1	0.005	15GBRC060	6726906	405144	48	0	-90	28	29	1	0.17
15GBRC058	6726906	405144	48	0	-90	27	28	1	0.005	15GBRC060	6726906	405144	48	0	-90	29	30	1	0.09
15GBRC058	6726906	405144	48	0	-90	28	29	1	0.01	15GBRC060	6726906	405144	48	0	-90	30	31	1	0.11
15GBRC058	6726906	405144	48	0	-90	29	30	1	0.01	15GBRC060	6726906	405144	48	0	-90	31	32	1	0.15
15GBRC058	6726906	405144	48	0	-90	30	31	1	0.01	15GBRC060	6726906	405144	48	0	-90	32	33	1	0.49
15GBRC058	6726906	405144	48	0	-90	31	32	1	0.04	15GBRC060	6726906	405144	48	0	-90	33	34	1	0.46
15GBRC058	6726906	405144	48	0	-90	32	33	1	0.03	15GBRC060	6726906	405144	48	0	-90	34	35	1	0.22
15GBRC058	6726906	405144	48	0	-90	33	34	1	0.02	15GBRC060	6726906	405144	48	0	-90	35	36	1	0.38
15GBRC058	6726906	405144	48	0	-90	34	35	1	0.04	15GBRC060	6726906	405144	48	0	-90	36	37	1	0.63
15GBRC058	6726906	405144	48	0	-90	35	36	1	0.03	15GBRC060	6726906	405144	48	0	-90	37	38	1	0.59
15GBRC058	6726906	405144	48	0	-90	36	37	1	0.01	15GBRC060	6726906	405144	48	0	-90	38	39	1	0.27
15GBRC058	6726906	405144	48	0	-90	37	38	1	0.02	15GBRC060	6726906	405144	48	0	-90	39	40	1	0.17
15GBRC058	6726906	405144	48	0	-90	38	39	1	0.01	15GBRC060	6726906	405144	48	0	-90	40	41	1	0.07
15GBRC058	6726906	405144	48	0	-90	39	40	1	0.01	15GBRC060	6726906	405144	48	0	-90	41	42	1	0.14
15GBRC058	6726906	405144	48	0	-90	40	41	1	0.01	15GBRC060	6726906	405144	48	0	-90	42	43	1	0.09
15GBRC058	6726906	405144	48	0	-90	41	42	1	0.005	15GBRC060	6726906	405144	48	0	-90	43	44	1	0.13
15GBRC058	6726906	405144	48	0	-90	42	43	1	0.01	15GBRC060	6726906	405144	48	0	-90	44	45	1	0.16
15GBRC058	6726906	405144	48	0	-90	43	44	1	0.01	15GBRC060	6726906	405144	48	0	-90	45	46	1	0.18
15GBRC058	6726906	405144	48	0	-90	44	45	1	0.01	15GBRC060	6726906	405144	48	0	-90	46	47	1	0.38
15GBRC058	6726906	405144	48	0	-90	45	46	1	0.005	15GBRC060	6726906	405144	48	0	-90	47	48	1	0.13
15GBRC058	6726906	405144	48	0	-90	46	47	1	0.07	15GBRC060	6726906	405144	48	0	-90			0	0.18
15GBRC058	6726906	405144	48	0	-90	47	48	1	0.01	15GBRC060	6726906	405130	42	0	-90	0	4	4	0.06
15GBRC059	6726879	405114	48	0	-90	0	4	4	0.04	15GBRC061	6726920	405130	42	0	-90	4	8	4	0.01
15GBRC059	6726879	405114	48	0	-90	4	8	4	0.005	15GBRC061	6726920	405130	42	0	-90	8	12	4	0.01
15GBRC059	6726879	405114	48	0	-90	8	12	4	0.005	15GBRC061	6726920	405130	42	0	-90	12	13	1	0.005
15GBRC059	6726879	405114	48	0	-90	12	16	4	0.005	15GBRC061	6726920	405130	42	0	-90	13	14	1	0.005
15GBRC059	6726879	405114	48	0	-90	16	17	1	0.005	15GBRC061	6726920	405130	42	0	-90	14	15	1	0.005
15GBRC059	6726879	405114	48	0	-90	17	18	1	0.005	15GBRC061	6726920	405130	42	0	-90	15	16	1	0.005
15GBRC059	6726879	405114	48	0	-90	18	19	1	0.005	15GBRC061	6726920	405130	42	0	-90	16	17	1	0.005
15GBRC059	6726879	405114	48	0	-90	19	20	1	0.005	15GBRC061	6726920	405130	42	0	-90	17	18	1	0.005
15GBRC059	6726879	405114	48	0	-90	20	21	1	0.25	15GBRC061	6726920	405130	42	0	-90	18	19	1	0.005
15GBRC059	6726879	405114	48	0	-90	21	22	1	0.04	15GBRC061	6726920	405130	42	0	-90	19	20	1	0.005
15GBRC059	6726879	405114	48	0	-90	22	23	1	0.02	15GBRC061	6726920	405130	42	0	-90	20	21	1	0.02
15GBRC059	6726879	405114	48	0	-90	23	24	1	0.03	15GBRC061	6726920	405130	42	0	-90	21	22	1	0.02
15GBRC059	6726879	405114	48	0	-90	24	25	1	0.04	15GBRC061	6726920	405130	42	0	-90	22	23	1	0.08
15GBRC059	6726879	405114	48	0	-90	25	26	1	0.03	15GBRC061	6726920	405130	42	0	-90	23	24	1	0.06
15GBRC059	6726879	405114	48	0	-90	26	27	1	0.06	15GBRC061	6726920	405130	42	0	-90	24	25	1	0.06
15GBRC059	6726879	405114	48	0	-90	27	28	1	0.02	15GBRC061	6726920	405130	42	0	-90	25	26	1	0.05
15GBRC059	6726879	405114	48	0	-90	28	29	1	0.02	15GBRC061	6726920	405130	42	0	-90	26	27	1	0.52
15GBRC059	6726879	405114	48	0	-90	29	30	1	0.02	15GBRC061	6726920	405130	42	0	-90	27	28	1	0.35
15GBRC059	6726879	405114	48	0	-90	30	31	1	0.02	15GBRC061	6726920	405130	42	0	-90	28	29	1	0.16
15GBRC059	6726879	405114	48	0	-90	31	32	1	0.02	15GBRC061	6726920	405130	42	0	-90	29	30	1	0.13
15GBRC059	6726879	405114	48	0	-90	32	33	1	0.09	15GBRC061	6726920	405130	42	0	-90	30	31	1	1.01
15GBRC059	6726879	405114	48	0	-90	33	34	1	0.03	15GBRC061	6726920	405130	42	0	-90	31	32	1	0.32
15GBRC059	6726879	405114	48	0	-90	34	35	1	0.04	15GBRC061	6726920	405130	42	0	-90	32	33	1	0.32
15GBRC059	6726879	405114	48	0	-90	35	36	1	0.07	15GBRC061	6726920	405130	42	0	-90	33	34	1	0.22
15GBRC059	6726879	405114	48	0	-90	36	37	1	0.19	15GBRC061	6726920	405130	42	0	-90	34	35	1	0.09
15GBRC059	6726879	405114	48	0	-90	37	38	1	0.12	15GBRC061	6726920	405130	42	0	-90	35	36	1	0.22
15GBRC059	6726879	405114	48	0	-90	38	39	1	0.34	15GBRC061	6726920	405130	42	0	-90	36	37	1	0.06
15GBRC059	6726879	405114	48	0	-90	39	40	1	0.17	15GBRC061	6726920	405130	42	0	-90	37	38	1	0.15
15GBRC059	6726879	405114	48	0	-90	40	41	1	0.11	15GBRC061	6726920	405130	42	0	-90	38	39	1	0.07
15GBRC059	6726879	405114	48	0	-90	41	42	1	0.06	15GBRC061	6726920	405130	42	0	-90	39	40	1	0.07
15GBRC059	6726879	405114	48	0	-90	42	43	1	0.07	15GBRC061	6726920	405130	42	0	-90	40	41	1	0.15
15GBRC059	6726879	405114	48	0	-90	43	44	1	0.1	15GBRC061	6726920	405130	42	0	-90	41	42	1	0.11
15GBRC059	6726879	405114	48	0	-90	44	45	1	0.06	15GBRC062	6726935	405116	42	0	-90	0	4	4	0.02
15GBRC059	6726879	405114	48	0	-90	45	46	1	0.06	15GBRC062	6726935	405116	42	0	-90	4	8	4	0.01
15GBRC059	6726879	405114	48	0	-90	46	47	1	0.005	15GBRC062	6726935	405116	42	0	-90	8	12	4	0.005
15GBRC059	6726879	405114	48	0	-90	47	48	1	0.005	15GBRC062	6726935	405116	42	0	-90	12	13	1	0.005
15GBRC060	6726906	405144	48	0	-90	0	4	4	0.06	15GBRC062	6726935	405116	42	0	-90	13	14	1	0.005
15GBRC060	6726906	405144	48	0	-90	4	8	4	0.03	15GBRC062	6726935	405116	42	0	-90	14	15	1	0.005
15GBRC060	6726906	405144	48	0	-90	8	12	4	0.02	15GBRC062	6726935	405116	42	0	-90	15	16	1	0.005
15GBRC060	6726906	405144	48	0	-90	12	16	4	0.01	15GBRC062	6726935	405116	42	0	-90	16	17	1	0.005
15GBRC060	6726906	405144	48	0	-90	16	17	1	4.88	15GBRC062	6726935	405116	42	0	-90	17	18	1	0.005
15GBRC060	6726906	405144	48	0	-90	17	18	1	3.01	15GBRC062	6726935	405116	42	0	-90	18	19	1	0.005
15GBRC060	6726906	405144	48	0	-90	18	19	1	0.19	15GBRC062	6726935	405116	42	0	-90	19	20	1	0.005
15GBRC060	6726906	405144	48	0	-90	19	20	1	0.1	15GBRC062	6726935	405116	42	0	-90	20	21	1	0.005
15GBRC060	6726906	405144	48	0	-90	20	21	1	0.26	15GBRC062	6726935	405116	42	0	-90	21	22	1	0.005
15GBRC060	6726906	405144	48	0	-90	21	22	1	0.27	15GBRC062	6726935	405116	42	0	-90				



# TYRANNA

## RESOURCES

Hole ID	Northing	Easting	Total Depth (m)	Azimuth	Dip	Depth From(m)	Depth To(m)	Length	Au g/t	Hole ID	Northing	Easting	Total Depth (m)	Azimuth	Dip	Depth From(m)	Depth To(m)	Length	Au g/t
15GBRC062	6726935	405116	42	0	-90	27	28	1	0.09	15GBRC064	6726959	405178	54	136	-60	32	33	1	0.27
15GBRC062	6726935	405116	42	0	-90	28	29	1	0.1	15GBRC064	6726959	405178	54	136	-60	33	34	1	0.24
15GBRC062	6726935	405116	42	0	-90	29	30	1	2.32	15GBRC064	6726959	405178	54	136	-60	34	35	1	0.09
15GBRC062	6726935	405116	42	0	-90	30	31	1	0.04	15GBRC064	6726959	405178	54	136	-60	35	36	1	0.05
15GBRC062	6726935	405116	42	0	-90	31	32	1	0.05	15GBRC064	6726959	405178	54	136	-60	36	37	1	0.52
15GBRC062	6726935	405116	42	0	-90	32	33	1	0.05	15GBRC064	6726959	405178	54	136	-60	37	38	1	0.48
15GBRC062	6726935	405116	42	0	-90	33	34	1	0.08	15GBRC064	6726959	405178	54	136	-60	38	39	1	0.13
15GBRC062	6726935	405116	42	0	-90	34	35	1	0.04	15GBRC064	6726959	405178	54	136	-60	39	40	1	0.18
15GBRC062	6726935	405116	42	0	-90	35	36	1	0.04	15GBRC064	6726959	405178	54	136	-60	40	41	1	0.54
15GBRC062	6726935	405116	42	0	-90	36	37	1	0.06	15GBRC064	6726959	405178	54	136	-60	41	42	1	0.48
15GBRC062	6726935	405116	42	0	-90	37	38	1	0.02	15GBRC064	6726959	405178	54	136	-60	42	43	1	0.13
15GBRC062	6726935	405116	42	0	-90	38	39	1	0.005	15GBRC064	6726959	405178	54	136	-60	43	44	1	0.1
15GBRC062	6726935	405116	42	0	-90	39	40	1	0.07	15GBRC064	6726959	405178	54	136	-60	44	45	1	0.03
15GBRC062	6726935	405116	42	0	-90	40	41	1	0.06	15GBRC064	6726959	405178	54	136	-60	45	46	1	0.03
15GBRC062	6726935	405116	42	0	-90	41	42	1	0.005	15GBRC064	6726959	405178	54	136	-60	46	47	1	0.03
15GBRC063	6726944	405192	42	136	-60	0	4	4	0.08	15GBRC064	6726959	405178	54	136	-60	47	48	1	0.005
15GBRC063	6726944	405192	42	136	-60	4	8	4	0.04	15GBRC064	6726959	405178	54	136	-60	48	49	1	0.02
15GBRC063	6726944	405192	42	136	-60	8	9	1	0.005	15GBRC064	6726959	405178	54	136	-60	49	50	1	0.01
15GBRC063	6726944	405192	42	136	-60	9	10	1	0.005	15GBRC064	6726959	405178	54	136	-60	50	51	1	0.02
15GBRC063	6726944	405192	42	136	-60	10	11	1	0.005	15GBRC064	6726959	405178	54	136	-60	51	52	1	0.02
15GBRC063	6726944	405192	42	136	-60	11	12	1	0.005	15GBRC064	6726959	405178	54	136	-60	52	53	1	0.01
15GBRC063	6726944	405192	42	136	-60	12	13	1	0.005	15GBRC064	6726959	405178	54	136	-60	53	54	1	0.03
15GBRC063	6726944	405192	42	136	-60	13	14	1	0.005	15GBRC065	6726973	405164	66	136	-60	0	4	4	0.05
15GBRC063	6726944	405192	42	136	-60	14	15	1	0.005	15GBRC065	6726973	405164	66	136	-60	4	8	4	0.01
15GBRC063	6726944	405192	42	136	-60	15	16	1	0.005	15GBRC065	6726973	405164	66	136	-60	8	12	4	0.01
15GBRC063	6726944	405192	42	136	-60	16	17	1	0.005	15GBRC065	6726973	405164	66	136	-60	12	13	1	0.005
15GBRC063	6726944	405192	42	136	-60	17	18	1	0.005	15GBRC065	6726973	405164	66	136	-60	13	14	1	0.005
15GBRC063	6726944	405192	42	136	-60	18	19	1	0.005	15GBRC065	6726973	405164	66	136	-60	14	15	1	0.01
15GBRC063	6726944	405192	42	136	-60	19	20	1	0.005	15GBRC065	6726973	405164	66	136	-60	15	16	1	0.005
15GBRC063	6726944	405192	42	136	-60	20	21	1	0.005	15GBRC065	6726973	405164	66	136	-60	16	17	1	0.01
15GBRC063	6726944	405192	42	136	-60	21	22	1	0.04	15GBRC065	6726973	405164	66	136	-60	17	18	1	0.01
15GBRC063	6726944	405192	42	136	-60	22	23	1	0.005	15GBRC065	6726973	405164	66	136	-60	18	19	1	0.02
15GBRC063	6726944	405192	42	136	-60	23	24	1	0.12	15GBRC065	6726973	405164	66	136	-60	19	20	1	0.02
15GBRC063	6726944	405192	42	136	-60	24	25	1	0.005	15GBRC065	6726973	405164	66	136	-60	20	21	1	0.005
15GBRC063	6726944	405192	42	136	-60	25	26	1	0.005	15GBRC065	6726973	405164	66	136	-60	21	22	1	0.01
15GBRC063	6726944	405192	42	136	-60	26	27	1	0.01	15GBRC065	6726973	405164	66	136	-60	22	23	1	0.01
15GBRC063	6726944	405192	42	136	-60	27	28	1	0.005	15GBRC065	6726973	405164	66	136	-60	23	24	1	0.15
15GBRC063	6726944	405192	42	136	-60	28	29	1	0.005	15GBRC065	6726973	405164	66	136	-60	24	25	1	0.04
15GBRC063	6726944	405192	42	136	-60	29	30	1	0.005	15GBRC065	6726973	405164	66	136	-60	25	26	1	0.06
15GBRC063	6726944	405192	42	136	-60	30	31	1	0.005	15GBRC065	6726973	405164	66	136	-60	26	27	1	6
15GBRC063	6726944	405192	42	136	-60	31	32	1	0.005	15GBRC065	6726973	405164	66	136	-60	27	28	1	6
15GBRC063	6726944	405192	42	136	-60	32	33	1	0.005	15GBRC065	6726973	405164	66	136	-60	28	29	1	0.8
15GBRC063	6726944	405192	42	136	-60	33	34	1	0.005	15GBRC065	6726973	405164	66	136	-60	29	30	1	0.59
15GBRC063	6726944	405192	42	136	-60	34	35	1	0.02	15GBRC065	6726973	405164	66	136	-60	30	31	1	0.23
15GBRC063	6726944	405192	42	136	-60	35	36	1	0.005	15GBRC065	6726973	405164	66	136	-60	31	32	1	1.33
15GBRC063	6726944	405192	42	136	-60	36	37	1	0.005	15GBRC065	6726973	405164	66	136	-60	32	33	1	0.71
15GBRC063	6726944	405192	42	136	-60	37	38	1	0.05	15GBRC065	6726973	405164	66	136	-60	33	34	1	0.4
15GBRC063	6726944	405192	42	136	-60	38	39	1	0.1	15GBRC065	6726973	405164	66	136	-60	34	35	1	0.04
15GBRC063	6726944	405192	42	136	-60	39	40	1	0.005	15GBRC065	6726973	405164	66	136	-60	35	36	1	0.25
15GBRC063	6726944	405192	42	136	-60	40	41	1	0.03	15GBRC065	6726973	405164	66	136	-60	36	37	1	0.09
15GBRC063	6726944	405192	42	136	-60	41	42	1	0.04	15GBRC065	6726973	405164	66	136	-60	37	38	1	0.16
15GBRC064	6726959	405178	54	136	-60	0	4	4	0.07	15GBRC065	6726973	405164	66	136	-60	38	39	1	3.85
15GBRC064	6726959	405178	54	136	-60	4	8	4	0.03	15GBRC065	6726973	405164	66	136	-60	39	40	1	9.6
15GBRC064	6726959	405178	54	136	-60	8	12	4	0.02	15GBRC065	6726973	405164	66	136	-60	40	41	1	3.88
15GBRC064	6726959	405178	54	136	-60	12	13	1	0.005	15GBRC065	6726973	405164	66	136	-60	41	42	1	0.6
15GBRC064	6726959	405178	54	136	-60	13	14	1	0.005	15GBRC065	6726973	405164	66	136	-60	42	43	1	0.34
15GBRC064	6726959	405178	54	136	-60	14	15	1	0.005	15GBRC065	6726973	405164	66	136	-60	43	44	1	0.2
15GBRC064	6726959	405178	54	136	-60	15	16	1	0.005	15GBRC065	6726973	405164	66	136	-60	44	45	1	0.23
15GBRC064	6726959	405178	54	136	-60	16	17	1	0.005	15GBRC065	6726973	405164	66	136	-60	45	46	1	0.02
15GBRC064	6726959	405178	54	136	-60	17	18	1	0.005	15GBRC065	6726973	405164	66	136	-60	46	47	1	0.77
15GBRC064	6726959	405178	54	136	-60	18	19	1	0.02	15GBRC065	6726973	405164	66	136	-60	47	48	1	0.34
15GBRC064	6726959	405178	54	136	-60	19	20	1	0.005	15GBRC065	6726973	405164	66	136	-60	48	49	1	0.25
15GBRC064	6726959	405178	54	136	-60	20	21	1	0.005	15GBRC065	6726973	405164	66	136	-60	49	50	1	0.25
15GBRC064	6726959	405178	54	136	-60	21	22	1	0.03	15GBRC065	6726973	405164	66	136	-60	50	51	1	0.15
15GBRC064	6726959	405178	54	136	-60	22	23	1	0.02	15GBRC065	6726973	405164	66	136	-60	51	52	1	0.69
15GBRC064	6726959	405178	54	136	-60	23	24	1	0.005	15GBRC065	6726973	405164	66	136	-60	52	53	1	0.38
15GBRC064	6726959	405178	54	136	-60	24	25	1	0.08	15GBRC065	6726973	405164	66	136	-60	53	54	1	0.54
15GBRC064	6726959	405178	54	136	-60	25	26	1	0.11	15GBRC065	6726973	405164	66	136	-60	54	55	1	0.02
15GBRC064	6726959	405178	54	136	-60	26	2												

# TYRANNA

## RESOURCES

Hole ID	Northing	Easting	Total Depth (m)	Azimuth	Dip	Depth From(m)	Depth To(m)	Length	Au g/t	Hole ID	Northing	Easting	Total Depth (m)	Azimuth	Dip	Depth From(m)	Depth To(m)	Length	Au g/t
15GBRC065	6726973	405164	66	136	-60	61	62	1	0.03	15GBRC067	6726967	405215	48	0	-90	45	46	1	0.05
15GBRC065	6726973	405164	66	136	-60	62	63	1	0.04	15GBRC067	6726967	405215	48	0	-90	46	47	1	0.07
15GBRC065	6726973	405164	66	136	-60	63	64	1	0.03	15GBRC067	6726967	405215	48	0	-90	47	48	1	0.07
15GBRC065	6726973	405164	66	136	-60	64	65	1	0.13	15GBRC068	6726952	405240	42	0	-90	4	4	4	0.07
15GBRC065	6726973	405164	66	136	-60	65	66	1	0.14	15GBRC068	6726952	405240	42	0	-90	4	8	4	0.02
15GBRC066	6726952	405229	42	0	-90	0	4	4	0.25	15GBRC068	6726952	405240	42	0	-90	8	9	1	0.01
15GBRC066	6726952	405229	42	0	-90	4	8	4	0.25	15GBRC068	6726952	405240	42	0	-90	8	10	1	0.01
15GBRC066	6726952	405229	42	0	-90	8	9	1	0.09	15GBRC068	6726952	405240	42	0	-90	10	11	1	0.005
15GBRC066	6726952	405229	42	0	-90	9	10	1	0.01	15GBRC068	6726952	405240	42	0	-90	11	12	1	0.005
15GBRC066	6726952	405229	42	0	-90	10	11	1	0.03	15GBRC068	6726952	405240	42	0	-90	12	13	1	0.005
15GBRC066	6726952	405229	42	0	-90	11	12	1	0.005	15GBRC068	6726952	405240	42	0	-90	13	14	1	0.005
15GBRC066	6726952	405229	42	0	-90	12	13	1	0.04	15GBRC068	6726952	405240	42	0	-90	14	15	1	0.005
15GBRC066	6726952	405229	42	0	-90	13	14	1	0.01	15GBRC068	6726952	405240	42	0	-90	15	16	1	0.005
15GBRC066	6726952	405229	42	0	-90	14	15	1	0.02	15GBRC068	6726952	405240	42	0	-90	16	17	1	0.01
15GBRC066	6726952	405229	42	0	-90	15	16	1	0.01	15GBRC068	6726952	405240	42	0	-90	17	18	1	0.005
15GBRC066	6726952	405229	42	0	-90	16	17	1	0.01	15GBRC068	6726952	405240	42	0	-90	18	19	1	0.01
15GBRC066	6726952	405229	42	0	-90	17	18	1	0.01	15GBRC068	6726952	405240	42	0	-90	19	20	1	0.01
15GBRC066	6726952	405229	42	0	-90	18	19	1	0.01	15GBRC068	6726952	405240	42	0	-90	20	21	1	0.01
15GBRC066	6726952	405229	42	0	-90	19	20	1	0.005	15GBRC068	6726952	405240	42	0	-90	21	22	1	0.005
15GBRC066	6726952	405229	42	0	-90	20	21	1	0.005	15GBRC068	6726952	405240	42	0	-90	22	23	1	0.01
15GBRC066	6726952	405229	42	0	-90	21	22	1	0.005	15GBRC068	6726952	405240	42	0	-90	23	24	1	0.005
15GBRC066	6726952	405229	42	0	-90	22	23	1	0.01	15GBRC068	6726952	405240	42	0	-90	24	25	1	0.005
15GBRC066	6726952	405229	42	0	-90	23	24	1	0.005	15GBRC068	6726952	405240	42	0	-90	25	26	1	0.005
15GBRC066	6726952	405229	42	0	-90	24	25	1	0.01	15GBRC068	6726952	405240	42	0	-90	26	27	1	0.01
15GBRC066	6726952	405229	42	0	-90	25	26	1	0.02	15GBRC068	6726952	405240	42	0	-90	27	28	1	0.06
15GBRC066	6726952	405229	42	0	-90	26	27	1	0.06	15GBRC068	6726952	405240	42	0	-90	28	29	1	0.09
15GBRC066	6726952	405229	42	0	-90	27	28	1	0.05	15GBRC068	6726952	405240	42	0	-90	29	30	1	0.01
15GBRC066	6726952	405229	42	0	-90	28	29	1	0.08	15GBRC068	6726952	405240	42	0	-90	30	31	1	0.01
15GBRC066	6726952	405229	42	0	-90	29	30	1	0.14	15GBRC068	6726952	405240	42	0	-90	31	32	1	0.005
15GBRC066	6726952	405229	42	0	-90	30	31	1	0.005	15GBRC068	6726952	405240	42	0	-90	32	33	1	0.03
15GBRC066	6726952	405229	42	0	-90	31	32	1	0.005	15GBRC068	6726952	405240	42	0	-90	33	34	1	0.005
15GBRC066	6726952	405229	42	0	-90	32	33	1	0.01	15GBRC068	6726952	405240	42	0	-90	34	35	1	0.01
15GBRC066	6726952	405229	42	0	-90	33	34	1	0.01	15GBRC068	6726952	405240	42	0	-90	35	36	1	0.02
15GBRC066	6726952	405229	42	0	-90	34	35	1	0.01	15GBRC068	6726952	405240	42	0	-90	36	37	1	0.01
15GBRC066	6726952	405229	42	0	-90	35	36	1	0.005	15GBRC068	6726952	405240	42	0	-90	37	38	1	0.01
15GBRC066	6726952	405229	42	0	-90	36	37	1	0.005	15GBRC068	6726952	405240	42	0	-90	38	39	1	0.03
15GBRC066	6726952	405229	42	0	-90	37	38	1	0.005	15GBRC068	6726952	405240	42	0	-90	39	40	1	0.01
15GBRC066	6726952	405229	42	0	-90	38	39	1	0.01	15GBRC068	6726952	405240	42	0	-90	40	41	1	0.02
15GBRC066	6726952	405229	42	0	-90	39	40	1	0.005	15GBRC068	6726952	405240	42	0	-90	41	42	1	0.01
15GBRC066	6726952	405229	42	0	-90	40	41	1	0.005	15GBRC069	6726967	405226	42	0	-90	0	4	4	0.12
15GBRC066	6726952	405229	42	0	-90	41	42	1	0.005	15GBRC069	6726967	405226	42	0	-90	4	8	4	0.02
15GBRC067	6726967	405215	48	0	-90	0	4	4	0.12	15GBRC069	6726967	405226	42	0	-90	8	12	4	0.01
15GBRC067	6726967	405215	48	0	-90	4	8	4	0.04	15GBRC069	6726967	405226	42	0	-90	12	13	1	0.01
15GBRC067	6726967	405215	48	0	-90	8	12	4	0.01	15GBRC069	6726967	405226	42	0	-90	13	14	1	0.03
15GBRC067	6726967	405215	48	0	-90	12	16	4	0.005	15GBRC069	6726967	405226	42	0	-90	14	15	1	0.01
15GBRC067	6726967	405215	48	0	-90	16	17	1	0.005	15GBRC069	6726967	405226	42	0	-90	15	16	1	0.02
15GBRC067	6726967	405215	48	0	-90	17	18	1	0.01	15GBRC069	6726967	405226	42	0	-90	16	17	1	0.01
15GBRC067	6726967	405215	48	0	-90	18	19	1	0.01	15GBRC069	6726967	405226	42	0	-90	17	18	1	0.01
15GBRC067	6726967	405215	48	0	-90	19	20	1	0.005	15GBRC069	6726967	405226	42	0	-90	18	19	1	0.005
15GBRC067	6726967	405215	48	0	-90	20	21	1	0.03	15GBRC069	6726967	405226	42	0	-90	19	20	1	0.01
15GBRC067	6726967	405215	48	0	-90	21	22	1	0.06	15GBRC069	6726967	405226	42	0	-90	20	21	1	0.02
15GBRC067	6726967	405215	48	0	-90	22	23	1	0.07	15GBRC069	6726967	405226	42	0	-90	21	22	1	0.14
15GBRC067	6726967	405215	48	0	-90	23	24	1	0.33	15GBRC069	6726967	405226	42	0	-90	22	23	1	0.78
15GBRC067	6726967	405215	48	0	-90	24	25	1	1.22	15GBRC069	6726967	405226	42	0	-90	23	24	1	0.25
15GBRC067	6726967	405215	48	0	-90	25	26	1	2.51	15GBRC069	6726967	405226	42	0	-90	24	25	1	0.23
15GBRC067	6726967	405215	48	0	-90	26	27	1	0.79	15GBRC069	6726967	405226	42	0	-90	25	26	1	0.01
15GBRC067	6726967	405215	48	0	-90	27	28	1	0.4	15GBRC069	6726967	405226	42	0	-90	26	27	1	0.01
15GBRC067	6726967	405215	48	0	-90	28	29	1	0.6	15GBRC069	6726967	405226	42	0	-90	27	28	1	0.03
15GBRC067	6726967	405215	48	0	-90	29	30	1	0.18	15GBRC069	6726967	405226	42	0	-90	28	29	1	0.42
15GBRC067	6726967	405215	48	0	-90	30	31	1	0.24	15GBRC069	6726967	405226	42	0	-90	29	30	1	0.21
15GBRC067	6726967	405215	48	0	-90	31	32	1	0.45	15GBRC069	6726967	405226	42	0	-90	30	31	1	0.03
15GBRC067	6726967	405215	48	0	-90	32	33	1	0.21	15GBRC069	6726967	405226	42	0	-90	31	32	1	0.01
15GBRC067	6726967	405215	48	0	-90	33	34	1	0.28	15GBRC069	6726967	405226	42	0	-90	32	33	1	0.01
15GBRC067	6726967	405215	48	0	-90	34	35	1	0.46	15GBRC069	6726967	405226	42	0	-90	33	34	1	0.01
15GBRC067	6726967	405215	48	0	-90	35	36	1	0.19	15GBRC069	6726967	405226	42	0	-90	34	35	1	0.34
15GBRC067	6726967	405215	48	0	-90	36	37	1	0.21	15GBRC069	6726967	405226	42	0	-90	35	36	1	0.03
15GBRC067	6726967	405215	48	0	-90	37	38	1	0.21	15GBRC069	6726967	405226	42	0	-90	36	37	1	0.06
15GBRC067	6726967	405215	48	0	-90	38	39	1	0.18	15GBRC069	6726967	405226	42	0	-90	37	38	1	0.08
15GBRC067	6726967	405215	48	0	-90	39	40	1	0.17	15GBRC069	6726967	405226	42	0	-90	38	39	1	0.01
15GBRC067	6726967	405215	48	0	-90	40	41	1	0.12	15GBRC069	6726967	405226	42	0					

# TYRANNA

## RESOURCES

Hole ID	Northing	Easting	Total Depth (m)	Azimuth	Dip	Depth From(m)	Depth To(m)	Length	Au g/t	Hole ID	Northing	Easting	Total Depth (m)	Azimuth	Dip	Depth From(m)	Depth To(m)	Length	Au g/t
15GBRC070	6727009	405183	78	136	-70	10	11	1	0.01	15GBRC071	6727015	405188	75	136	-70	18	19	1	0.005
15GBRC070	6727009	405183	78	136	-70	11	12	1	0.01	15GBRC071	6727015	405188	75	136	-70	19	20	1	0.01
15GBRC070	6727009	405183	78	136	-70	12	13	1	0.01	15GBRC071	6727015	405188	75	136	-70	20	21	1	0.01
15GBRC070	6727009	405183	78	136	-70	13	14	1	0.01	15GBRC071	6727015	405188	75	136	-70	21	22	1	0.04
15GBRC070	6727009	405183	78	136	-70	14	15	1	0.01	15GBRC071	6727015	405188	75	136	-70	22	23	1	0.01
15GBRC070	6727009	405183	78	136	-70	15	16	1	0.01	15GBRC071	6727015	405188	75	136	-70	23	24	1	0.005
15GBRC070	6727009	405183	78	136	-70	16	17	1	0.01	15GBRC071	6727015	405188	75	136	-70	24	25	1	0.01
15GBRC070	6727009	405183	78	136	-70	17	18	1	0.005	15GBRC071	6727015	405188	75	136	-70	25	26	1	0.01
15GBRC070	6727009	405183	78	136	-70	18	19	1	0.005	15GBRC071	6727015	405188	75	136	-70	26	27	1	0.005
15GBRC070	6727009	405183	78	136	-70	19	20	1	0.005	15GBRC071	6727015	405188	75	136	-70	27	28	1	0.01
15GBRC070	6727009	405183	78	136	-70	20	21	1	0.005	15GBRC071	6727015	405188	75	136	-70	28	29	1	0.01
15GBRC070	6727009	405183	78	136	-70	21	22	1	0.01	15GBRC071	6727015	405188	75	136	-70	29	30	1	0.01
15GBRC070	6727009	405183	78	136	-70	22	23	1	0.01	15GBRC071	6727015	405188	75	136	-70	30	31	1	0.02
15GBRC070	6727009	405183	78	136	-70	23	24	1	0.18	15GBRC071	6727015	405188	75	136	-70	31	32	1	0.06
15GBRC070	6727009	405183	78	136	-70	24	25	1	0.13	15GBRC071	6727015	405188	75	136	-70	32	33	1	0.05
15GBRC070	6727009	405183	78	136	-70	25	26	1	0.08	15GBRC071	6727015	405188	75	136	-70	33	34	1	0.06
15GBRC070	6727009	405183	78	136	-70	26	27	1	0.04	15GBRC071	6727015	405188	75	136	-70	34	35	1	0.05
15GBRC070	6727009	405183	78	136	-70	27	28	1	0.02	15GBRC071	6727015	405188	75	136	-70	35	36	1	0.05
15GBRC070	6727009	405183	78	136	-70	28	29	1	0.01	15GBRC071	6727015	405188	75	136	-70	36	37	1	0.02
15GBRC070	6727009	405183	78	136	-70	29	30	1	0.2	15GBRC071	6727015	405188	75	136	-70	37	38	1	0.02
15GBRC070	6727009	405183	78	136	-70	30	31	1	0.16	15GBRC071	6727015	405188	75	136	-70	38	39	1	0.02
15GBRC070	6727009	405183	78	136	-70	31	32	1	0.18	15GBRC071	6727015	405188	75	136	-70	39	40	1	0.03
15GBRC070	6727009	405183	78	136	-70	32	33	1	0.25	15GBRC071	6727015	405188	75	136	-70	40	41	1	0.01
15GBRC070	6727009	405183	78	136	-70	33	34	1	0.27	15GBRC071	6727015	405188	75	136	-70	41	42	1	0.01
15GBRC070	6727009	405183	78	136	-70	34	35	1	0.15	15GBRC071	6727015	405188	75	136	-70	42	43	1	0.05
15GBRC070	6727009	405183	78	136	-70	35	36	1	0.19	15GBRC071	6727015	405188	75	136	-70	43	44	1	0.09
15GBRC070	6727009	405183	78	136	-70	36	37	1	0.06	15GBRC071	6727015	405188	75	136	-70	44	45	1	0.15
15GBRC070	6727009	405183	78	136	-70	37	38	1	0.78	15GBRC071	6727015	405188	75	136	-70	45	46	1	0.06
15GBRC070	6727009	405183	78	136	-70	38	39	1	0.34	15GBRC071	6727015	405188	75	136	-70	46	47	1	0.01
15GBRC070	6727009	405183	78	136	-70	39	40	1	0.07	15GBRC071	6727015	405188	75	136	-70	47	48	1	0.12
15GBRC070	6727009	405183	78	136	-70	40	41	1	0.07	15GBRC071	6727015	405188	75	136	-70	48	49	1	0.06
15GBRC070	6727009	405183	78	136	-70	41	42	1	0.24	15GBRC071	6727015	405188	75	136	-70	49	50	1	0.04
15GBRC070	6727009	405183	78	136	-70	42	43	1	0.15	15GBRC071	6727015	405188	75	136	-70	50	51	1	0.03
15GBRC070	6727009	405183	78	136	-70	43	44	1	0.14	15GBRC071	6727015	405188	75	136	-70	51	52	1	0.36
15GBRC070	6727009	405183	78	136	-70	44	45	1	0.78	15GBRC071	6727015	405188	75	136	-70	52	53	1	0.05
15GBRC070	6727009	405183	78	136	-70	45	46	1	0.8	15GBRC071	6727015	405188	75	136	-70	53	54	1	0.09
15GBRC070	6727009	405183	78	136	-70	46	47	1	0.64	15GBRC071	6727015	405188	75	136	-70	54	55	1	0.05
15GBRC070	6727009	405183	78	136	-70	47	48	1	0.86	15GBRC071	6727015	405188	75	136	-70	55	56	1	0.05
15GBRC070	6727009	405183	78	136	-70	48	49	1	0.06	15GBRC071	6727015	405188	75	136	-70	56	57	1	0.17
15GBRC070	6727009	405183	78	136	-70	49	50	1	0.19	15GBRC071	6727015	405188	75	136	-70	57	58	1	0.54
15GBRC070	6727009	405183	78	136	-70	50	51	1	0.09	15GBRC071	6727015	405188	75	136	-70	58	59	1	0.66
15GBRC070	6727009	405183	78	136	-70	51	52	1	0.41	15GBRC071	6727015	405188	75	136	-70	59	60	1	0.41
15GBRC070	6727009	405183	78	136	-70	52	53	1	0.3	15GBRC071	6727015	405188	75	136	-70	60	61	1	0.05
15GBRC070	6727009	405183	78	136	-70	53	54	1	0.25	15GBRC071	6727015	405188	75	136	-70	61	62	1	0.02
15GBRC070	6727009	405183	78	136	-70	54	55	1	0.54	15GBRC071	6727015	405188	75	136	-70	62	63	1	0.01
15GBRC070	6727009	405183	78	136	-70	55	56	1	0.11	15GBRC071	6727015	405188	75	136	-70	63	64	1	0.13
15GBRC070	6727009	405183	78	136	-70	56	57	1	0.15	15GBRC071	6727015	405188	75	136	-70	64	65	1	0.1
15GBRC070	6727009	405183	78	136	-70	57	58	1	0.8	15GBRC071	6727015	405188	75	136	-70	65	66	1	6.9
15GBRC070	6727009	405183	78	136	-70	58	59	1	1.64	15GBRC071	6727015	405188	75	136	-70	66	67	1	0.19
15GBRC070	6727009	405183	78	136	-70	59	60	1	13.7	15GBRC071	6727015	405188	75	136	-70	67	68	1	2.49
15GBRC070	6727009	405183	78	136	-70	60	61	1	0.73	15GBRC071	6727015	405188	75	136	-70	68	69	1	0.14
15GBRC070	6727009	405183	78	136	-70	61	62	1	0.27	15GBRC071	6727015	405188	75	136	-70	69	70	1	0.1
15GBRC070	6727009	405183	78	136	-70	62	63	1	0.1	15GBRC071	6727015	405188	75	136	-70	70	71	1	0.29
15GBRC070	6727009	405183	78	136	-70	63	64	1	0.1	15GBRC071	6727015	405188	75	136	-70	71	72	1	0.06
15GBRC070	6727009	405183	78	136	-70	64	65	1	0.07	15GBRC071	6727015	405188	75	136	-70	72	73	1	0.04
15GBRC070	6727009	405183	78	136	-70	65	66	1	0.06	15GBRC071	6727015	405188	75	136	-70	73	74	1	0.04
15GBRC070	6727009	405183	78	136	-70	66	67	1	0.12	15GBRC071	6727015	405188	75	136	-70	74	75	1	0.06
15GBRC070	6727009	405183	78	136	-70	67	68	1	0.04	15GBRC071	6727015	405188	75	136	-70	75	76	1	0.06
15GBRC070	6727009	405183	78	136	-70	68	69	1	0.11	15GBRC071	6727015	405188	75	136	-70	76	77	1	0.15
15GBRC070	6727009	405183	78	136	-70	69	70	1	7.7	15GBRC071	6727015	405188	75	136	-70	77	78	1	0.53
15GBRC070	6727009	405183	78	136	-70	70	71	1	0.14	15GBRC072	6726967	405236	42	0	-90	12	13	1	0.01
15GBRC070	6727009	405183	78	136	-70	71	72	1	0.19	15GBRC072	6726967	405236	42	0	-90	13	14	1	0.005
15GBRC070	6727009	405183	78	136	-70	72	73	1	0.91	15GBRC072	6726967	405236	42	0	-90	14	15	1	0.005
15GBRC070	6727009	405183	78	136	-70	73	74	1	0.15	15GBRC072	6726967	405236	42	0	-90	15	16	1	0.01
15GBRC070	6727009	405183	78	136	-70	74	75	1	0.13	15GBRC072	6726967	405236	42	0	-90	16	17	1	0.005
15GBRC070	6727009	405183	78	136	-70	75	76	1	0.09	15GBRC072	6726967	405236	42	0	-90	17	18	1	0.005
15GBRC070	6727009	405183	78	136	-70	76	77	1	0.07	15GBRC072	6726967	405236	42	0	-90	18	19	1	0.02
15GBRC070	6727009	405183	78	136	-70	77	78	1	0.22	15GBRC072	6726967	405236	42	0	-90	19	20	1	0.01
15GBRC071	6727015	405188	75	136	-70	12													

# TYRANNA

## RESOURCES

Hole ID	Northing	Easting	Total Depth (m)	Azimuth	Dip	Depth From(m)	Depth To(m)	Length	Au g/t	Hole ID	Northing	Easting	Total Depth (m)	Azimuth	Dip	Depth From(m)	Depth To(m)	Length	Au g/t
15GBRC072	6726967	405236	42	0	-90	26	27	1	0.25	15GBRC074	6727006	405208	48	0	-90	32	33	1	1.35
15GBRC072	6726967	405236	42	0	-90	27	28	1	0.07	15GBRC074	6727006	405208	48	0	-90	33	34	1	1.31
15GBRC072	6726967	405236	42	0	-90	28	29	1	0.03	15GBRC074	6727006	405208	48	0	-90	34	35	1	1.1
15GBRC072	6726967	405236	42	0	-90	29	30	1	0.01	15GBRC074	6727006	405208	48	0	-90	35	36	1	0.64
15GBRC072	6726967	405236	42	0	-90	30	31	1	0.03	15GBRC074	6727006	405208	48	0	-90	36	37	1	1
15GBRC072	6726967	405236	42	0	-90	31	32	1	0.04	15GBRC074	6727006	405208	48	0	-90	37	38	1	1.99
15GBRC072	6726967	405236	42	0	-90	32	33	1	0.03	15GBRC074	6727006	405208	48	0	-90	38	39	1	0.35
15GBRC072	6726967	405236	42	0	-90	33	34	1	0.02	15GBRC074	6727006	405208	48	0	-90	39	40	1	0.41
15GBRC072	6726967	405236	42	0	-90	34	35	1	0.01	15GBRC074	6727006	405208	48	0	-90	40	41	1	0.09
15GBRC072	6726967	405236	42	0	-90	35	36	1	0.005	15GBRC074	6727006	405208	48	0	-90	41	42	1	0.12
15GBRC072	6726967	405236	42	0	-90	36	37	1	0.03	15GBRC074	6727006	405208	48	0	-90	42	43	1	6.3
15GBRC072	6726967	405236	42	0	-90	37	38	1	0.03	15GBRC074	6727006	405208	48	0	-90	43	44	1	1
15GBRC072	6726967	405236	42	0	-90	38	39	1	0.04	15GBRC074	6727006	405208	48	0	-90	44	45	1	0.57
15GBRC072	6726967	405236	42	0	-90	39	40	1	0.04	15GBRC074	6727006	405208	48	0	-90	45	46	1	0.18
15GBRC072	6726967	405236	42	0	-90	40	41	1	0.02	15GBRC074	6727006	405208	48	0	-90	46	47	1	0.7
15GBRC072	6726967	405236	42	0	-90	41	42	1	0.03	15GBRC074	6727006	405208	48	0	-90	47	48	1	0.22
15GBRC073	6726977	405235	54	0	-90	16	17	1	0.03										
15GBRC073	6726977	405235	54	0	-90	17	18	1	0.07										
15GBRC073	6726977	405235	54	0	-90	18	19	1	0.02										
15GBRC073	6726977	405235	54	0	-90	19	20	1	0.03										
15GBRC073	6726977	405235	54	0	-90	20	21	1	0.07										
15GBRC073	6726977	405235	54	0	-90	21	22	1	0.08										
15GBRC073	6726977	405235	54	0	-90	22	23	1	0.1										
15GBRC073	6726977	405235	54	0	-90	23	24	1	0.02										
15GBRC073	6726977	405235	54	0	-90	24	25	1	0.3										
15GBRC073	6726977	405235	54	0	-90	25	26	1	0.13										
15GBRC073	6726977	405235	54	0	-90	26	27	1	0.03										
15GBRC073	6726977	405235	54	0	-90	27	28	1	0.04										
15GBRC073	6726977	405235	54	0	-90	28	29	1	0.02										
15GBRC073	6726977	405235	54	0	-90	29	30	1	0.02										
15GBRC073	6726977	405235	54	0	-90	30	31	1	0.02										
15GBRC073	6726977	405235	54	0	-90	31	32	1	0.02										
15GBRC073	6726977	405235	54	0	-90	32	33	1	0.03										
15GBRC073	6726977	405235	54	0	-90	33	34	1	0.02										
15GBRC073	6726977	405235	54	0	-90	34	35	1	0.03										
15GBRC073	6726977	405235	54	0	-90	35	36	1	0.11										
15GBRC073	6726977	405235	54	0	-90	36	37	1	0.06										
15GBRC073	6726977	405235	54	0	-90	37	38	1	0.03										
15GBRC073	6726977	405235	54	0	-90	38	39	1	0.03										
15GBRC073	6726977	405235	54	0	-90	39	40	1	0.02										
15GBRC073	6726977	405235	54	0	-90	40	41	1	0.02										
15GBRC073	6726977	405235	54	0	-90	41	42	1	0.02										
15GBRC073	6726977	405235	54	0	-90	42	43	1	0.04										
15GBRC073	6726977	405235	54	0	-90	43	44	1	0.02										
15GBRC073	6726977	405235	54	0	-90	44	45	1	0.05										
15GBRC073	6726977	405235	54	0	-90	45	46	1	0.1										
15GBRC073	6726977	405235	54	0	-90	46	47	1	0.12										
15GBRC073	6726977	405235	54	0	-90	47	48	1	0.07										
15GBRC073	6726977	405235	54	0	-90	48	49	1	0.09										
15GBRC073	6726977	405235	54	0	-90	49	50	1	0.02										
15GBRC073	6726977	405235	54	0	-90	50	51	1	0.04										
15GBRC073	6726977	405235	54	0	-90	51	52	1	0.03										
15GBRC073	6726977	405235	54	0	-90	52	53	1	0.04										
15GBRC073	6726977	405235	54	0	-90	53	54	1	0.13										
15GBRC074	6727006	405208	48	0	-90	12	13	1	0.06										
15GBRC074	6727006	405208	48	0	-90	13	14	1	0.04										
15GBRC074	6727006	405208	48	0	-90	14	15	1	0.03										
15GBRC074	6727006	405208	48	0	-90	15	16	1	0.02										
15GBRC074	6727006	405208	48	0	-90	16	17	1	0.02										
15GBRC074	6727006	405208	48	0	-90	17	18	1	0.02										
15GBRC074	6727006	405208	48	0	-90	18	19	1	0.02										
15GBRC074	6727006	405208	48	0	-90	19	20	1	0.05										
15GBRC074	6727006	405208	48	0	-90	20	21	1	0.47										
15GBRC074	6727006	405208	48	0	-90	21	22	1	0.05										
15GBRC074	6727006	405208	48	0	-90	22	23	1	0.14										
15GBRC074	6727006	405208	48	0	-90	23	24	1	0.03										
15GBRC074	6727006	405208	48	0	-90	24	25	1	0.51										
15GBRC074	6727006	405208	48	0	-90	25	26	1	0.18										
15GBRC074	6727006	405208	48	0	-90	26	27	1	0.21										
15GBRC074	6727006	405208	48	0	-90	27	28	1	0.14										
15GBRC074	6727006	405208	48	0	-90	28	29	1	0.21										
15GBRC074	6727006	405208	48	0	-90	29	30	1	0.24										
15GBRC074	6727006	405208	48	0	-90	30	31	1	0.61										
15GBRC074	6727006	405208	48	0	-90	31	32	1	0.54										

Appendix 3: Table 1

<i>Sampling Techniques and Data</i>	
Criteria	Comment
<i>Sampling techniques</i>	The results published are from RC drillholes. Drill hole spacing is variable along strike. All but three holes have been drilled vertical with the inclined holes drilled at 136/-60.
	The drillhole location is picked up by handheld GPS. Sampling is carried out following industry standard and applying QA-QC procedures as per industry best practice.
	Holes were drilled to target gold mineralisation of an orogenic nature within highly deformed gneissic host rock. Au as well as As have historically been assayed as well as occasional Ag and Cu.
	Samples have been collected at 1m intervals throughout with compositing of the first 16-20m occurring at the lab.
<i>Drilling techniques</i>	Drilling was carried out using an RC rig.
<i>Drill sample recovery</i>	Drill chips are logged and sample recovery assessed on site by the geologist
	An effort was undertaken to ensure samples stayed dry. Dry samples were split using a rotary splitter.
	No bias has been observed between sample recovery and grade.
<i>Logging</i>	Geological logging included recording lithology, weathering, oxidation, colour, alteration, grain size, minerals and their habit and wetness.
	Logging is carried out on a routine basis recording lithology, weathering, oxidation, colour, alteration, grain size, minerals and their habit, wetness and magnetic susceptibility.
	All drill holes are logged from start to finish.
<i>Sub-sampling techniques and sample preparation</i>	No diamond drilling was undertaken during this drilling program.
	Sample method involves collecting drill cutting in pre-numbered calico bags from a rig mounted rotary cone splitter, while the remaining bulk material was collected to provide for further test work.
	Sample preparation and assaying was carried out by Bureau Veritas (Amdel) laboratories.
	10% of despatched samples were for QA-QC in the form of standards, blanks and duplicates.
	All samples are collected as 1m splits from the rig and are composited at the lab so as to obtain as representative sample as possible.
	Sample sizes are considered to be appropriate.
<i>Quality of assay data and laboratory tests</i>	Assaying for gold was via fire assay with AAS finish - this is a total assay technique for gold.
	No handheld tools were used.
	The standard used with the samples from the reported drill holes were focused on the gold mineralisation. However duplicate samples were collected and represent 5% of the submitted samples. The analysis of the duplicate samples show reproducibility of the assay results within the accepted industry norms.
<i>Verification of sampling and assaying</i>	Verification and confirmation has been undertaken by company personnel.
	No twin holes have been drilled yet
	Each sample bag was labelled with unique sample number assigned at point of sampling in field. Sample number is used to match assays from laboratory to in-house database containing drillhole coordinate data, geological log and sample description.
	No assay data has been adjusted.
<i>Location of data points</i>	Drill hole collar surveys and topographic surveys were carried out using a handheld GPS.
	The grid system is MGA94, zone 53
	Topographic control at Golf Bore is considered adequate.
<i>Data spacing and distribution</i>	The drillholes reported are spaced between 25-100m spacing and on lines 10-50m.
	Most drillholes are drilled perpendicular to the dip direction of the gold mineralisation.
	Samples compositing has been applied but occurs at the lab rather than at the rig.
<i>Orientation of data in relation to geological structure</i>	The orientation of sampling is appropriate to the orientation of the ore body, though at this stage it is not confirmed if the angle shows the exact true width.
	No bias is known of that this stage.
<i>Sample security</i>	Samples were stored on site and transported to the laboratory in Adelaide.
<i>Audits or reviews</i>	No audits or review has been conducted yet.



### *Reporting of Exploration Results*

Criteria	Comment
<i>Mineral tenement and land tenure status</i>	The Golf Bore prospect is located within EL4577 which is part of the Jumbuck project, owned 53% by Tyranna Resources and 47% by Kingsgate Consolidated The tenement is in good standing and no known impediments exist.
<i>Exploration done by other parties</i>	The area has been a target for mineral exploration since the 1990's by multiple companies. All of the known work has been appraised by Tyranna Resources and has formed an important component in the work carried out so far by the company.
<i>Geology</i>	Golf Bore is considered to be geologically analogous to the Challenger gold deposit, which is an orogenic, structurally controlled gold deposit within highly deformed terrain. Gold is hosted within gneiss and is generally found in economic quantities along regional fold hinges.
<i>Drill hole Information</i>	Please see Table 1 In the main body of text
<i>Data aggregation methods</i>	The results consist of weighted average by sample length. A visual cut off at approximately <b>0.2g/t Au</b> was used to identify the reported significant intercept(s) Weighted average technique by sample length was used to define the significant intercept in order to give a balance representation of the mineralisation. No metal equivalents are used.
<i>Relationship between mineralisation widths and intercept lengths</i>	At this stage the dip of the ore body is not clear. An accurate dip and strike and the controls on mineralisation are yet to be determined and the true width of the intercepts is not yet known. True width is not yet known.
<i>Diagrams</i>	Results reported pertain to discoveries previously reported by Dominion Gold Operations and Southern Gold. Please see figures in main body of text for plan images.
<i>Balanced reporting</i>	Results reported in the body of text represent the significant intercepts of the gold mineralisation encountered in the first seven holes of drilling by Tyranna Resources. A full account of the result for the holes reported is located in the appendix.
<i>Other substantive exploration data</i>	All relevant geological and geochemical data collected so far have been reported.
<i>Further Work</i>	The assay results for the remaining holes of the programme will define the next stage of exploration at Golf Bore. Please see figures in main body of text.